

Safety Data Sheet

Safety Data Sheet dated 20/8/2018, version 1

1. IDENTIFICATION

Product identifier

Mixture identification:

Trade name: J-ECO SUBLY NANO CYAN

Other means of identification:

Trade code: NS60100C1.0LW

Recommended use of the chemical and restrictions on use

Recommended use:

Digital printing ink

Restrictions on use:

All those who are not listed in the recommended uses

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company:

JK Group USA, Inc.

106 Industrial Park Dr.

Soddy-Daisy, TN 37379

Phone +1 (423) 486-9376

Fax +1 (423) 486-9387

Competent person responsible for the safety data sheet:

safety@j-k-group.com

Emergency phone number

CAV Pavia

Istituti Clinici Scientifici Maugeri Spa SB

Via Salvatore Maugeri 4 - 27100 PAVIA

Tel. +39 0382-24444 (24/24h)

2. HAZARD(S) IDENTIFICATION

Classification of the chemical

The product is not classified as dangerous according to OSHA Hazard Communication Standard (29 CFR 1910.1200).

Label elements

The product is not classified as dangerous according to OSHA Hazard Communication Standard (29 CFR 1910.1200).

Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

None

Hazards not otherwise classified identified during the classification process:

None

Ingredient(s) with unknown acute toxicity:

None.


3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

N.A.

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:



Safety Data Sheet

3% \leq x < 5% Lignosulfonic acid
CAS: 105859-97-0, EC: 600-691-4
⚠ A.3/2A Eye Irrit. 2A H319

4. FIRST-AID MEASURES

Description of necessary measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

None

Indication of immediate medical attention and special treatment needed

Treatment:

None

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products:

None

Explosive properties: not applicable

Oxidizing properties: not applicable

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

Wear personal protection equipment.

Remove all sources of ignition.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.


Remove persons to safety.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

Methods and materials for containment and cleaning up

Wash with plenty of water.



Safety Data Sheet

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not use on extensive surface areas in premises where there are occupants.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

Storage temperature:

Store at ambient temperature.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

No occupational exposure limit available

DNEL Exposure Limit Values

N.A.

PNEC Exposure Limit Values

N.A.

Appropriate engineering controls:

None

Individual protection measures

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

9. PHYSICAL AND CHEMICAL PROPERTIES

Properties	Value	Method:	Notes
Appearance:	liquid	--	--
Colour:	blue	--	--
Odour threshold:	not available	--	--
pH:	7 - 9	--	@ 25°C
Melting point / freezing point:	not available	--	--
Initial boiling point and boiling range:	> 100 °C / 212 °F	--	--
Flash point:	> 266 °F	--	--

Safety Data Sheet

Evaporation rate:	not available	--	--
Solid/gas flammability:	not applicable	--	--
Upper/lower flammability or explosive limits:	not available	--	--
Vapour pressure:	not available	--	--
Vapour density:	not available	--	--
Relative density:	1.080	--	@ 25°C
Solubility in water:	soluble	--	--
Solubility in oil:	not available	--	--
Partition coefficient (n-octanol/water):	not available	--	--
Auto-ignition temperature:	not available	--	--
Decomposition temperature:	not available	--	--
Viscosity:	2 - 8 cPs	--	@ 25°C
Miscibility:	miscible	--	--
Fat Solubility:	not available	--	--
Conductivity:	not available	--	--
Substance Groups relevant properties	not available	--	--

10. STABILITY AND REACTIVITY

Reactivity
Stable under normal conditions

Chemical stability
Stable under normal conditions

Possibility of hazardous reactions
None

Conditions to avoid
Stable under normal conditions.

Incompatible materials
None in particular.

Hazardous decomposition products
None.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects
Toxicological information of the product:
J-ECO SUBLY NANO CYAN
a) acute toxicity
Not classified

Safety Data Sheet

- Based on calculation method, the classification criteria are not met
- b) skin corrosion/irritation
Not classified
 - c) serious eye damage/irritation
Not classified
 - d) respiratory or skin sensitisation
Not classified
 - e) germ cell mutagenicity
Not classified
 - f) carcinogenicity
Not classified
 - g) reproductive toxicity
Not classified
 - h) STOT-single exposure
Not classified
 - i) STOT-repeated exposure
Not classified
 - j) aspiration hazard
Not classified

Based on calculation method, the classification criteria are not met
Toxicological information of the main substances found in the product:

Lignosulfonic acid - CAS: 105859-97-0

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 10000 mg/kg

Substance(s) listed on the NTP report on Carcinogens:

None.

Substance(s) listed on the IARC Monographs:

None.

Substance(s) listed as OSHA Carcinogen(s):

None.

Substance(s) listed as NIOSH Carcinogen(s):

None.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment.

J-ECO SUBLY NANO CYAN

Not classified for environmental hazards

Based on calculation method, the classification criteria are not met

Lignosulfonic acid - CAS: 105859-97-0

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 615 mg/l - Duration h: 96 - Notes: Pimephales promelas


Persistence and degradability

Lignosulfonic acid - CAS: 105859-97-0

Biodegradability: Non-readily biodegradable - Test: N.A. - Duration h: N.A. - %: N.A. -

Notes: N.A.

Bioaccumulative potential



Safety Data Sheet

N.A.
 Mobility in soil
 N.A.
 Other adverse effects
 None

13. DISPOSAL CONSIDERATIONS

Waste treatment and disposal methods
 Recover if possible. In so doing, comply with the local and national regulations currently in force.

14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

UN number

ADR-UN number: not applicable
 IATA-Un number: not applicable
 IMDG-Un number: not applicable

UN proper shipping name

ADR-Shipping Name: not applicable
 IATA-Shipping Name: not applicable
 IATA-Technical name: not applicable
 IMDG-Shipping Name: not applicable
 IMDG-Technical name: not applicable

Transport hazard class(es)

ADR-Class: not applicable
 ADR-Label: not applicable
 IATA-Class: not applicable
 IATA-Label: not applicable
 IMDG-Class: not applicable
 IMDG-Label: not applicable

Packing group

ADR-Packing Group: not applicable
 IMDG-Packing group: not applicable

Environmental hazards

ADR-Environmental Pollutant: No
 IMDG-Marine pollutant: No

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

ADR-Tunnel Restriction Code: not applicable
 Rail (RID): not applicable
 IATA-Cargo Aircraft: not applicable

Special precautions

N.A.

15. REGULATORY INFORMATION

USA - Federal regulations

TSCA - Toxic Substances Control Act


TSCA inventory: all the components are listed
 on the TSCA inventory

SARA - Superfund Amendments and Reauthorization Act

Section 302 - Extremely Hazardous
 Substances:

Name	CAS
Formaldehyde	50-00-0

Section 304 - Hazardous substances:



Safety Data Sheet

Name	CAS
Formaldehyde	50-00-0
Section 313 - Toxic chemical list:	
Name	CAS
Formaldehyde	50-00-0
CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act	
Name	CAS
Formaldehyde	50-00-0
CAA - Clean Air Act	
CAA listed substances:	
No substances listed	
CWA - Clean Water Act	
CWA listed substances:	
No substances listed	
USA - State specific regulations	
California Proposition 65	
Substance(s) listed under California Proposition 65:	
- Listed as carcinogen	
Name	CAS
Formaldehyde	50-00-0
- Listed as reproductive toxicant	
No substances listed	
Massachusetts Right to know	
Substance(s) listed under Massachusetts Right to know:	
Name	CAS
Glycerol	56-81-5
Formaldehyde	50-00-0
New Jersey Right to know	
Substance(s) listed under New Jersey Right to know:	
Name	CAS
Glycerol	56-81-5
Formaldehyde	50-00-0
Pennsylvania Right to know	
Substance(s) listed under Pennsylvania Right to know:	
Name	CAS
Glycerol	56-81-5
2,2' -oxybisethanol; diethylene glycol	111-46-6
Formaldehyde	50-00-0

16. OTHER INFORMATION

Full text of phrases referred to in Section 3:

H319 Causes serious eye irritation.


Safety Data Sheet dated 8/20/2018, version 1

Disclaimer:

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process.

This Safety Data Sheet cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.



Safety Data Sheet

CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
HMIS:	Hazardous Materials Identification System
IARC:	International Agency for Research on Cancer
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
NFPA:	National Fire Protection Association
NIOSH:	National Institute for Occupational Safety and Health
NTP:	National Toxicology Program
OSHA:	Occupational Safety and Health Administration.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average