



CONSUMER TESTING LABORATORIES, Inc.

HARDLINES TESTING LABORATORY • 611 DREAM VALLEY ROAD • ROGERS, AR 72756
PHONE: (479) 636-8782 • FAX: (479) 636-8961 • ROG.Hardlines.Customer.Service@crs.ul.com

Evaluation of Test Results

Lab Report No: ARHL0797222

Issue Date: July 07, 2020

Item Description: 432 PIECE PUZZLE - 80# COATED PAPER GLUED TO 60 PT GRAPHIC BOARD - TUCK BOX - 24 PT COATED CHIPBOARD



Rating: **Pass**

CLIENT: The Chest Inc

SOURCING OFFICE: Not Applicable

SUPPLIER NAME: Chest LLC (The)

STYLE NUMBER: PZ-532

REASON FOR TESTING: Evaluation of the client requested requirements

COUNTRY OF ORIGIN: United States

*** Please see the following pages for additional item information ***

FACTORY NAME: The Chest LLC

ADDITIONAL INFORMATION

1. Testing for the following requirements was conducted by UL Verification Services, Inc., 611 Dream Valley Road, Rogers, Arkansas 72756. (479)636-8782.
2. The sample complies with the requirements of 16 CFR 1500.48 Technical Requirements for Determining a Sharp Point in Toys and other Articles Intended for use by Children under 8 years of age.

Specialists in the Evaluation of Consumer Products Since 1952

This report is governed by, and incorporates by reference, the Terms and Conditions of Testing appearing on our website <http://www.consumertesting.com/> and is intended for your exclusive use. Any copying or replication of this report or disclosure of test results to or for any other person or entity, and any use of our name and/or seal is strictly prohibited without our prior written authorization. This report sets forth our findings with respect to the individual sample(s) tested only. CTL's liability shall not exceed the fees paid for the testing reflected on this report.

Arkansas • Hong Kong • Canada • China • Bangladesh

a UL company

ADDITIONAL SAMPLE INFORMATION

SIZE(S) _____ **COLOR(S)** _____
 Not Applicable Box, Puzzle, Puzzle Box

PO NUMBER(S) _____
 200416

UPC CODE(S) _____
 Not Applicable

ITEM NUMBER(S) _____
 Not Applicable

QUOTE ID(S) _____
 Q013832

Identifier Association Grid

DESCRIPTION	STYLE	TESTED
Puzzle		Yes
Box		Yes
Puzzle Box		Yes

CONSUMER TESTING LABORATORIES, INC.



Dannon Rose

CATEGORY MANAGER, HARDLINES TESTING

CONSUMER TESTING LABORATORIES, INC.



Chris Dahl

DIRECTOR, HARDLINES TESTING

Specialists in the Evaluation of Consumer Products Since 1952

This report is governed by, and incorporates by reference, the Terms and Conditions of Testing appearing on our website <http://www.consumertesting.com/> and is intended for your exclusive use. Any copying or replication of this report or disclosure of test results to or for any other person or entity, and any use of our name and/or seal is strictly prohibited without our prior written authorization. This report sets forth our findings with respect to the individual sample(s) tested only. CTL's liability shall not exceed the fees paid for the testing reflected on this report.



CPSIA / CFR REQUIREMENTS

REGULATORY SUPPLEMENT

SAMPLE 432 Pc Puzzle - Glued Puzzle - Tuck Box

I. IDENTIFICATION and INSPECTION	
	RATING COMMENTS
<p><i>Note: This worksheet is a regulatory supplement and must accompany the applicable product specific worksheet</i></p> <p>TRACKING LABEL (CPSIA Section 103)</p> <p><i>Note: Tracking labeling consists of Manufacturer / Private Labeler Name, location of production, date of production, cohort information (including the batch, run number, or other identifying characteristic); OR this information may be in a code</i></p> <p>On Package: --- _____ --- _____</p> <p>On Product: --- _____ --- _____</p>	<p style="text-align: center;">---</p> <p style="text-align: center;">Not requested by the client</p> <hr/> <p style="text-align: center;">---</p> <p style="text-align: center;">Not requested by the client</p>
<p>LEAD CONTENT - SURFACE COATINGS (16CFR 1303)</p> <p><i>The following is exempt: Mirrors which are part of furniture articles, artists' paints and related materials, metal furniture articles (but not metal children's furniture) bearing factory-applied (lead) coatings</i></p> <p>Lead content of the surface coating(s) scraped from the actual product does not exceed 0.009% (90 ppm, 90-mg/kg)</p>	<p style="text-align: center;">---</p> <p style="text-align: center;">N/A - CMYK inks</p>
<p>LEAD CONTENT - ACCESSIBLE SUBSTRATES</p> <p><u>Total Lead in Substrates / Base Materials</u></p> <p><i>Accessibility is tested before and after reasonable use and abuse testing for all ages up to 12 years</i></p> <p><i>Note: XRF testing is not performed on mouthable components of toys and child care articles. For mouthable components of toys and child care articles only perform wet chemistry testing.</i></p> <p>Product meets one of the following:</p> <p>X-Ray Fluorescence (XRF) prescreening indicates a lead level 0.007% (70-ppm, 70-mg/kg) or less for any accessible substrate / base material</p> <p style="text-align: right;">--- Y/N _____</p>	<p style="text-align: center;">---</p> <p style="text-align: center;">N/A - Exempted materials</p>

	RATING	COMMENTS
<p>OR</p> <p>Lead content of all accessible substrates / base materials, sampled from the finished product do not exceed 0.01% (100-ppm' 100 mg/kg)</p> <p><i>Exception: Aluminum alloy components of ride on toys intended for children 3 years and older that are not likely to be placed in the mouth or ingested or extensively contacted by a child because of their function and location must not exceed 0.03% (300-ppm, 300-mg/kg)</i></p> <p style="text-align: right;">--- Y/N</p>		

LEAD CONTENT - EXEMPT ELECTRONIC COMPONENTS (16CFR 1500.88)

Note: The electronic component parts in children's electronic devices, (listed below), are exempt from the lead content substrate requirements; note, this only exempts the listed component part and does not exempt the entire product.

- * Lead blended into the glass of cathode ray tubes, electronic components, and fluorescent tubes.
- * Lead used in lead-bronze bearing shells and bushings.
- * Lead used in compliant pin connector systems.
- * Lead used in optical and filter glass.
- * Lead oxide in plasma display panels (PDP) and surface conduction electron emitter displays (SED) used in structural elements; notably in the front and rear glass dielectric layer, the bus electrode, the black stripe, the address electrode, the barrier ribs, the seal frit and frit ring, as well as in print pastes.
- * Lead oxide in the glass envelope of Black Light Blue (BLB) lamps.
- * Components of electronic devices that are removable or replaceable, such as battery packs and light bulbs that are inaccessible when the product is assembled in functional form or are otherwise granted an exemption.

LEAD CONTENT - ELECTRONIC COMPONENTS CONDITIONALLY EXEMPT (16CFR 1500.88)

Product meets one of the following:

Lead used in electronic components of toys, in the manner described below does not exceed the following limits:

Lead Use	Limit
Lead used as an alloying element in steel	< 0.35% by weight (3,500-ppm, 3,500 mg/kg)
Lead used in the manufacture of aluminum	< 0.4% by weight (4,000-ppm, 4,000 mg/kg)
Lead used in copper-based alloys	< 4% by weight (40,000-ppm, 40,000 mg/kg)

--- Y/N

N/A - No applicable materials

LEAD CONTENT - ELECTRONIC COMPONENTS (16CFR 1500.88)

All other electronic components (other than those described in the exempt or conditionally exempt lists above) meet one of the following requirements:

X-Ray Fluorescence (XRF) prescreening indicates a lead level 0.007% (70-ppm, 70-mg/kg) or less for all applicable electronic components

--- Y/N

N/A - No applicable materials

	RATING	COMMENTS
<p>OR</p> <p>Lead content of applicable electronic components sampled from the finished product does not exceed 0.01% (100-ppm, 100-mg/kg)</p> <p style="text-align: right;">--- Y/N</p>		
<p>FLAMMABILITY OF SOLIDS</p> <p><i>This requirement is applied to all solids including granules, powders, pastes, and rigid and pliable solids</i></p> <p>Children's product's (<i>other than toys</i>) which have an ignition source, or are intended to be used near an ignition source (<i>e.g. lighter, matches, lights etc.</i>) meet one of the following:</p> <p>Solids flammability testing indicates that solids (<i>as described above</i>) do not exceed the maximum allowable limit of no greater than 0.1 inches per second when tested in accordance with 16 CFR 1500.44</p>	---	N/A - No ignition source - not intended to be used near an ignition source
<p>MECHANICAL HAZARDS</p> <p><u>Small Parts</u></p> <p>Product meets requirements of 16CFR 1501 Method for Identifying Toys & Other Articles Intended for Use by Children Under 3 Years of Age Which Represent Choking, Aspiration, or Ingestion Hazards Because of Small Parts</p>	---	N/A - Not for children under 3 years
<p><u>Sharp Points</u></p> <p>Note: Evaluation for sharp points is done before and after abuse tests for ages under 8, and as received only for ages 8 - 12</p> <p>Product meets the requirements of 16 CFR 1500.48 Technical Requirements for Determining a Sharp Point in Toys and Other Articles Intended for use by Children Under 8 Years of Age</p>	Pass	

	RATING	COMMENTS
<p><u>Sharp Edges</u> <i>Note: Evaluation for sharp edges is done before and after abuse tests for ages under 8, and as received only for ages 8 - 12)</i> Product meets the requirements of 16 CFR 1500.49 Technical Requirements for Determining a Sharp Edges in Toys and Other Articles Intended for use by Children Under 8 Years of Age</p>	---	N/A - No applicable materials

II. CONCLUSIONS

<p>OVERALL RATING COMMENTS:</p>	<p>PASS</p>
---	--------------------

Latest Change: new worksheet
1/5/18

Reference Material:

16CFR 1500.231	Guidance for Hazardous Liquid Chemicals in Children's Products
16CFR 1500 & 1500.3	Hazardous Substance and Articles
16CFR 1501	Small Parts Hazards
16CFR 1199.1	Phthalate-containing inaccessible component parts
	Consumer Product Safety Improvement Act of 2008

This technical worksheet represents testing methods and procedures generally used for testing and evaluating the above specified item. Depending upon the nature of the product, certain tests specified herein may not be applied and / or additional testing procedures may be utilized. This technical worksheet is not intended to be used as a manufacturing or design specification and is subject to revision as further experience and investigation may show necessary.